



# Desktop Workshop

## Diesel Maintenance and Management

Presented by: Justin Nye, John Hampson,  
and Peter Mielke

May 2021

# Target Audience

Bus and medium/heavy trucks

Campus environments

Low speed or high idle duty cycle

# Diesel Maintenance and Management

- Picking the right vehicle
- What are ideal and problematic use cases for diesel vehicles?
- How does diesel maintenance differ from vehicles of other fuel types?
- What is a DPF?
- What is a regeneration?
- What is DEF?
- Biodiesel
- Telematics Reports
- Recommended Drivers Training
- Summary

# Picking the right vehicle

- Diesel engines are more efficient
  - Use them in your **high mileage applications** to **save fuel** and take advantage of **higher life expectancies**
- Torque requirements
  - Diesel offers better torque, particularly at elevation
- Make sure your requirements make sense
  - Pull a trailer across Colorado everyday = Diesel
  - Move some trailers on flatlands, limited mileage applications = Gas

Use the GSA Fleet Center of Expertise and the vendor to help research capabilities

# Vehicle Selection - Diesel Vs Gas

Which fuel type meets the requirement?

- Availability of gas engines
- Parts availability and vehicle downtime
- Fuel availability
- Towing and payload
- Power take-off (PTO)
- Upfitting
- Biofuel use

# Problematic Use Cases For Diesels

- **Avoid low speed operation**
  - Diesel vehicles perform better with higher speeds and longer duration
- **Diesels don't like idling**
  - Today's diesels will run into regeneration issues and DPF clogging with high idle scenarios
- Short trips and low mileage duty cycles **Do Not** take advantage of diesels inherent fuel efficiency and typical extended mile life-cycle

# Diesel Maintenance Vs Other Fuel Types

The main difference is **Cost**

- Preventative Maintenance
  - Some engines hold upwards of 8.5 **gallons** of oil
  - Large oil and fuel filters are replaced more regularly
  - Exhaust systems that require regular maintenance
- Engine Parts
  - Have higher cost and lower availability
  - Examples: starters, alternators, water pumps, batteries
- Service
  - Shortage of qualified Diesel Technicians
  - Labor intensive
  - High hourly rates




# Diesel Maintenance Vs Other Fuel Types

Diesel vehicles have systems that normal vehicles don't have or don't have to the same degree

- Exhaust Recirculation
- Diesel Particulate Filter (DPF)
- Diesel Exhaust Fluid (DEF) system
- Large Turbo systems
- Large fuel filtration systems

All of these systems require frequent maintenance and care, dramatically increasing the cost of ownership






# What is a DPF?

## Diesel Particulate Filter (DPF)

- Large filter added to the exhaust system of diesel vehicles in order to reduce vehicle emissions
- Traps and stores exhaust particulates such as soot and ash



[EPA-420-F-10-029, May 2010](#)

# What is a DPF?

The DPF system is frequently cleaned through a process called regeneration

- A vehicle that operates at low speeds will not generate the heat necessary to regenerate
- A clogged DPF system will cause poor performance or shut down the vehicle completely



# What is a regeneration?

Regeneration is the process to clean the DPF system

- Ash is not burned off and will eventually need to be physically cleaned from the DPF

Types of regeneration:

- Passive Regeneration
  - The engine in the vehicle is creating enough heat that the carbon (soot) in the DPF can combine with the oxidized exhaust gases, create carbon dioxide, and exit the filter
  - Occurs while a vehicle is being driven normally under load

# What is a regeneration?

- Active Regeneration
  - Occurs when the engine is not creating the heat it needs to perform the chemical reaction changing soot to carbon dioxide
  - To create heat the vehicle will inject fuel into the exhaust stream, which will burn and raise the temperature of the exhaust

Both Passive and Active Regeneration happen without the drivers knowledge under normal operating conditions

# What is a regeneration?

- Parked/Manual Regeneration
  - Operating conditions don't allow the DPF to be cleaned by passive or active regeneration
  - Operator-initiated using dash controls
    - 20 to 60 minutes to complete
    - Not available on all vehicles
  - Vehicle must be parked in a safe area away from other vehicles or combustible material due to the heat produced by the regeneration

# What is a regeneration?

- Forced Regeneration
  - Used when all other forms of regeneration fail
  - Performed by a technician
    - Costs on average \$150
    - 45 to 90 minutes to complete
  - Computer is used to force the vehicle to start the regeneration process
  - The DPF may need to be removed and cleaned or replaced if the Forced Regen fails to properly clean the system

# Drivers Responsibilities

“Diesel Vehicles / Diesel Particulate Filters (DPF) / Regeneration. Most diesel vehicles require periodic regeneration of the DPF, which is the process of burning off excess soot from the filter. Drivers will be alerted to perform regeneration by a warning light and should follow the steps listed in the owner’s manual to complete the regeneration. Ignoring the warning light or performing incomplete regeneration may result in the engine shutting down and possible damage to the DPF and/or engine. Charges incurred for vendors to initiate a DPF regeneration and repairs resulting from improper or not performed regeneration will be the financial responsibility of the leasing agency.”

*Guide to Your GSA Fleet Vehicle, October 2020*



# What is DEF?

## Diesel Exhaust Fluid (DEF)

- Used to break down NOx emissions into nitrogen and water using Selective Catalytic Reduction (SCR) technology
- Should **NOT** come into contact with diesel
  - Has its own storage tank (Blue Filler Cap)
- Purchased at a fuel station or maintenance vendor
- Driver-managed
  - DEF usage rate is roughly 50 gallons diesel to 1 gallon DEF
    - Recommend having spare DEF on hand
  - Warning Lamps
    - When DEF is low a warning lamp will illuminate
    - When DEF is empty the vehicle will go into limp mode or shut off completely



# Biodiesel

## Pros

- AFV credit
- Lubricity
- Less particulate matter
- All diesels up to B5, commonly no modification up to B20


## Cons

- Fuel stability
  - Storage
  - Water
- Cold temperatures
- Fuel filter life
- Availability

# Biodiesel

B20 offers ~10% drop in particulate matter (PM)

Average Emissions Impact of Biodiesel  
for Heavy-duty Highway Engines




# Telematics

## Exhaust System


- DEF level
- DPF warning lamps
- DPF soot levels

## Vehicle Usage

- Engine hours
- Percentage Idle Time
- Speed Profile



# Geotab Demo



# Drivers Training

## Required

- Commercial Drivers License (CDL)
  - Mandatory for vehicles over 26,000 GVWR (see [state regulations](#))
  - Combined GVWR matters if the trailer is more than 10,001 lbs

## Recommended

- Exhaust Aftertreatment Training
  - [Cummins](#), [Engine Lamp Guide](#)
  - [Ford](#)
  - [International](#)
  - [Ram/MOPAR](#)
- Professional Truck Driving Course
  - [Free](#) for leasing customers

# Summary

## Maintenance

- Differs from other fuel types
- Engine and exhaust issues are preventable through proper fleet management and vehicle specification
- Biodiesel may be a better option for your requirement

## Acquisitions

- More gas options available
- Industry still expects diesel to be a key player in certain segments



# Resources

## EPA Technical Bulletins

- [DPF General Information](#)
- [DPF Operation and Maintenance](#)

## OEM Guides

- [Cummins](#)
- [International](#)

## Articles

- [DEF Overview](#)
- [Gasoline or Diesel](#)
- [Calculating Max Payload and Towing Capacity](#)
- [Biodiesel Technical Highlights](#)
- [Alternative Fuel Data Center](#)
- [2018 U.S. Diesel Analysis](#)

# Thank you for attending today's Desktop Workshop

For additional information on this topic contact:

Justin Nye, email: [justin.nye@gsa.gov](mailto:justin.nye@gsa.gov)

Looking for more federal fleet training?

- Check out the Federal Fleet Manager Certification Program - [www.gsa.gov/ffmcp](http://www.gsa.gov/ffmcp)
- Register for future GSA Fleet Desktop Workshops - [gsa.gov/gsa-fleet-training](http://gsa.gov/gsa-fleet-training)
- View pastDesktop Workshops at <http://bit.ly/DtWRecordings>



Fleet<sup>®</sup>

# Geotab Demo

The screenshot displays the myGEOTAB web application interface. At the top, a dark blue header bar contains a back arrow, a "Groups filter" dropdown set to "All", and links for "Support", "Gsafleet", and "0 Notifications". Below the header, the left sidebar features the myGEOTAB logo and a list of navigation items: "Getting Started & Help", "Dashboard & Analytics", "Map", "Vehicles", "Activity", "Engine & Maintenance", "Engine and Device...", "Fuel and EV Energy Usage", "Reminders...", "Rules & Groups", "Report Setup", "Marketplace", and "Import KML Zones". The main content area shows a modal window titled "Options" with tabs for "Group by: Diagnostic" and "Report". The "Report" tab is active, displaying two sections: "DATE PERIOD" with a list of time ranges (Today, Yesterday, This week, Last week, This month, Last month, Custom) and "DISPLAY OPTIONS" with settings for "Include archived (historical) data" (Yes/No), "Vehicles" (Search vehicles dropdown, Reset selection button), and "Diagnostics" (Search diagnostics dropdown, Reset selection button). The "Selected" status is shown as "G32-0190W" for vehicles and "All" for diagnostics. An "Apply changes" button is located at the bottom right of the modal.

# Geotab Demo

## Engine Measurements

Total items 1896

G32-0190W 03-02, Zone 1		
Accelerometer calibrated (1 = calibrated)	1	
Coolant level	98%	
Cranking voltage	11.2...14.2V	
Cruise control active	0	
Cruise control enabled	0	
DEF level	99.6%	
Device power change (1 = powered)	1	
Diesel engine detected	1	

# Geotab Demo

The screenshot displays the Geotab myGEOTAB web interface. The top navigation bar includes a back arrow, a 'Groups filter' dropdown set to 'All', a '0 Notifications' badge, and a user profile icon. The left sidebar contains navigation links: 'Getting Started & Help', 'Dashboard & Analytics', 'Map', 'Vehicles', 'Activity', 'Engine & Maintenance', 'Rules & Groups' (highlighted), 'Report Setup', 'Marketplace', and 'Import KML Zones'. The main content area is titled 'Rules' and features a 'SAFETY' section header. Two rules are listed: 'Harsh Braking' and 'Hard Acceleration'. Each rule has an 'On/Off' toggle, a slider for sensitivity (set to -0.61 G and 0.43 G respectively), and buttons for 'Passenger', 'Truck', and 'Heavy' vehicle types. Descriptive text for each rule explains the triggering condition based on g-force.

**Rules**

**SAFETY**

**Harsh Braking**

On Off

Least sensitive Most sensitive

-0.61 G

Passenger Truck Heavy

This rule will trigger when a harsh braking event causes a g-force greater than the configured value to be exerted on the vehicle.

**Hard Acceleration**

On Off

Least sensitive Most sensitive

0.43 G

Passenger Truck Heavy

This rule will trigger when a hard acceleration event causes a g-force greater than the configured value to be exerted on the vehicle.

# Geotab Demo

## Exception Rule Edit [Show Help](#)

Name Conditions Notifications

Name:

Color:

Not visible

Visible

Publish to groups:

Select Group(s)

Select groups...

Comment:



# Geotab Demo

<

Groups filter

All

Support Gsafleet

Q myGEOTAB

Getting Started & Help

Dashboard & Analytics

Map

Vehicles

Activity

Engine & Maintenance

Rules & Groups

Report Setup

Marketplace

Import KML Zones

Save Cancel

Exception Rule Edit 

Show Help

Name

Conditions

Notifications

CONDITIONS

Add engine

Add zone or zone type

Roads with speed limit

Add speed

Add speed limit

More... ▾

↶

↷

📄

Engine

Type:

Active Fault

Any Fault

Measurement or Data

Diagnostic:

DEF level

Display All Diagnostics

Value:

Over

Under

25

%

Add

Cancel

# Geotab Demo

## Exception Rule Edit

[Show Help](#)

Name Conditions Notifications

### NOTIFICATION RECIPIENTS

Add email Add alert ▼ Add driver feedback ▼ More... ▼

TEMPLATE:

Default email template ▼

EMAIL:

Type here and press Add when done...

Add

Cancel

There are no notifications set up for this exception rule.

### HELP

Choose how to notify someone when a rule is broken. Some ways to do this include: sending an email to an individual or to a group; displaying a popup to a user in the application; warning a driver through driver feedback or a prompt on their Garmin device. Third-party systems can be notified through additional means including web requests or text messages.

# Geotab Demo

Notification for gsafleet Inbox x



**NotificationSender@geotab.com**

to me ▼

Tue, Feb 23, 2:50 PM (9 days ago)

G98A211C03B4 SN: G98A211C03B4() broke "Diesel Pilot Test - Low DEF" rule at 09:31:43 AM 02/23/21.



**NotificationSender@geotab.com**

to me ▼

Tue, Feb 23, 3:06 PM (9 days ago)

G9B3211C62EA SN: G9B3211C62EA() broke "Diesel Pilot Test - Low DEF" rule at 08:39:29 AM 02/22/21.

# Geotab Demo

<

Groups filter

All

0 Notifications

myGEOTAB

Getting Started & Help

Dashboard & Analytics

Map

Vehicles

Activity

Engine & Maintenance

Rules & Groups

Rules

Exceptions

Report Setup

Marketplace

Import KML Zones

Options

Sort by: Duration

Report

DATE PERIOD

Today

Yesterday

This week

Last week

This month

Last month

Custom

DISPLAY OPTIONS

View by

Vehicle

Driver

Vehicles

Search vehicles

Reset selection

Selected: None

Rules

Search rules


Reset selection

Selected: None

Apply changes

# Geotab Demo

Groups filter ▾ All

Support Gsa fleet 0 Notifications 

myGEOTAB

Getting Started & Help

Dashboard & Analytics

Map

Vehicles

Activity

Engine & Maintenance

Rules & Groups

Rules

**Exceptions**










Report Setup

Marketplace

Import KML Zones

Options ▾ Sort by: Duration ▾ Report ▾

Exceptions [Show Help](#)

 Engine Fault Exception	12d 5h 46m 18s 352 mi	19
 Diesel Pilot Rule with Duration 3	8d 13h 32m 23s 40 mi	10
 Diesel Pilot Test - Plan Diesel Regeneration Downtime	8d 13h 32m 23s 40 mi	10
 Diesel Pilot Test - Soot Load and Regen Trigger	8d 13h 32m 23s 40 mi	10
 Engine Light On	3d 10h 52m 1s 33 mi	4
 Diesel Pilot Test - Diesel Engine	3d 0h 15m 49s 1 mi	2
 Fleet Idling	7h 23m 6s 0 mi	14
 Idling	7h 23m 6s 0 mi	14
 Diesel Pilot Test - Low DEF	6h 8m 57s 25 mi	2

# Geotab Demo

Options ▼

Sort by: Duration ▼

Report ▼

## Exceptions

Show Help

■ Engine Fault Exception

■ Diesel Pilot Rule with Duration 3

■ Diesel Pilot Test Plan Diesel Regeneration Downtime

Web

Summary ▶

Details ▶

Download

More formats

Standard

Advanced

# Geotab Demo

Options ▼

Sort by: Duration ▼

Report ▼

## Exceptions

Show Help

■ Engine Fault Exception

■ Diesel Pilot Rule with Duration 3

■ Diesel Pilot Test Plan Diesel Regeneration Downtime

Web

Summary ▶

Details ▶

Download

More formats

Standard

Advanced



# Geotab Demo

- Automate customized reports
  - Email
  - Dashboard
- Reports can be customized in Excel and uploaded for automation

